

Specification



ZE4500V-1400

ZERES 5 Series: Electric with Integrated Hydraulics



Clamping Unit		ZE4500 V
Clamping Force	kN	4500
	US Tons	506
Mold Opening Stroke	mm	800
	in.	31.5
Minimum Mold Height	mm	350
	in.	13.78
Maximum Mold Height	mm	810
	in.	31.89
Maximum Daylight	mm	1610
	in.	63.39
Distance Between Tie-Bars (HXV)	mm	910x910
	in.	35.83x35.83
Platen Dimensions (HXV)	mm	1250x1250
	in.	49.21x49.21
Minimum Mold Size	mm	590x590
	in.	23.23x23.23
Ejector Stroke	mm	180
	in.	7.09
Ejector Force	kN	98
	US Tons	11

Specification



ZE4500V-1400

ZERES 5 Series: Electric with Integrated Hydraulics

Injection Unit		1400		
Screw & Barrel Designation		A	B	C
Screw Diameter	mm	55	60	65
	in.	2.17	2.36	2.56
Screw L/D Ratio	L/D	21.8	20	18.5
Injection Volume (Theoretical)	cm ³	617	735	862
	cu.in.	37.65	44.85	52.60
Injection Weight (PS)	g	562	668	785
	oz.	19.82	23.56	27.69
Injection Pressure	MPa	214	180	153
	psi	31038	26107	22191
Holding Pressure	MPa	190	160	136
	psi	27557	23206	19725
Screw Speed	rpm	300	300	300
Plasticizing Rate (GPPS)	g/s	54	64	71
	oz./s	1.90	2.26	2.50
Nozzle Contact Force	kN	85	85	85
	US Tons	10	10	10
Injection Unit		1400		
Injection Speed	mm/s	160		
	in./s	6.3		
Injection Rate (PS)	g/s	332	395	463
	oz./s	11.71	13.93	16.33
Injection Unit		1400h		
Injection Speed	mm/s	250		
	in./s	9.84		
Injection Rate (PS)	g/s	518	617	724
	oz./s	18.27	21.76	25.54
Injection Unit		1400hs		
Injection Speed	mm/s	350		
	in./s	13.78		
Injection Rate (PS)	g/s	726	864	1014
	oz./s	25.61	30.48	35.77

Specification



ZE4500V-1400




ZERES 5 Series: Electric with Integrated Hydraulics

Other		
Connection Power	kW/A	1400:52/87 1400h:65/109 1400hs:69/115
Heating Power	kW	29.3
Machine Dimension	m in.	8.00x2.15x2.51 315x85x99
Machine Weight	t lbs.	22.3 49163
Hopper Capacity	l gal	50 13
Oil Pressure	MPa psi	17.5 2538
Oil Flow	l/min gal/min	141 37
Oil Tank	l gal	193 51

***NOTE:**

1. Machine dimensions and weights are based on the international standard configuration and are for reference only. Any options or country specific requirements will affect this. Contact Absolute Haitian service department for machine specific information.
2. Power requirements are based on the international standard configuration and are for reference only. Any options or country specific requirements will affect this. Contact Absolute Haitian service department for machine specific information.





- *1 Power in
Current and Power Cable are shown
in the Main Power Supply Circuit
- *2 To the mounting face of the
fixed platen
- *3 To the face of Hopper fixing platform
- *4 To the top of the fixed platen
- *5 Vibration dumping support



Absolute Haitian Corporation
33 Southgate St. Worcester, MA
T:+1 508-792-4305
www.absolutehaitian.com

Title: ZE V 4500-1401 Layout Drawing

Machine Model: ZE V 4500-1401

Machine Serial Number:

Machine Tonnage:

Revision Date: Drawing #: Layout

Rev #: 1

Rev #: 2

Rev #: 3

Rev #: 4

Rev #: 5

Sheet: 1 of 1

Drawn By: Harry

Date: 3/22/2024

Chkd By: LEON XIE

Date: 3/22/2024

NOT TO SCALE Size: 11 X 17 "B"

Units: mm / [in]

Material:

Part:

Part:

Part:

Part:

PLEASE READ:


The designs on this drawing were validated using machine manufacturer's drawings and/or information supplied by Absolute or the customer. It is the responsibility of the customer to review and confirm that all dimensions are consistent with the application intended and in accordance with the facility requirements for space, part clearance, overhead clearance, or any other interference. By signing this document, the customer accepts full responsibility for this design and application.

Customer:

Customer Approval:

Authorized Signature

Notes:



Absolute Haitian Corporation
33 Southgate St. Worcester, MA
T: +1 508-792-4305
www.absolutehaitian.com

Title: ZE V 4500 Robot Mounting Drawing

Machine Model: ZE V 4500
Machine Serial Number:
Machine Tonnage:

Sheet: 1 of 1

Drawn By: Harry

Date: 4/9/2024

Chkd By: LEON XIE

Date: 4/9/2024

Revision Date: Drawing #: Robot Mounting

NOT TO SCALE

Size: 11 X 17 "B"

Rev #: 1

Rev #: 2

Rev #: 3

Rev #: 4

Rev #: 5

Units: mm / [in]

Material:

Part:

Part:

Part:

Part:

Part:

PLEASE READ:

The designs on this drawing were validated using machine manufacturer's drawings and/or information supplied by Absolute or the customer. It is the responsibility of the customer to review and confirm that all dimensions are consistent with the application intended and in accordance with the facility requirements for space, part clearance, overhead clearance, or any other interference. By signing this document, the customer accepts full responsibility for this design and application.

Customer:

Customer Approval:

Authorized Signature

Notes: