Specification



ZE2300V-430

ZERES 5 Series: Electric with Integrated Hydraulics



Clamping Unit		ZE2300 V
Clamping Force	kN	2300
	US Tons	259
Mold Opening Stroke	mm	550
	in.	21.65
Minimum Mold Height	mm	220
	in.	8.66
Maximum Mold Height	mm	600
	in.	23.62
Maximum Daylight	mm	1150
	in.	45.28
Distance Between Tie-Bars (HXV)	mm	620x620
	in.	24.41x24.41
Platen Dimensions (HXV)	mm	880x880
	in.	34.65x34.65
Minimum Mold Size	mm	400x400
	in.	15.75x15.75
Ejector Stroke	mm	150
	in.	5.91
Ejector Force	kN	55
	US Tons	6

Absolute Haitian Corporation • 33 Southgate St. Worcester, MA 01610 508-459-5372 • absolutehaitian.com



Specification

ZE2300V-430

ZERES 5 Series: Electric with Integrated Hydraulics

Injection Unit			430	
Screw & Barrel Designation		A	В	С
Screw Diameter	mm	36	40	45
	in.	1.42	1.57	1.77
Screw L/D Ratio	L/D	23.3	21	18.7
Injection Volume (Theoretical)	cm3	173	213	270
	cu.in.	10.56	13.00	16.48
Injection Weight (PS)	g	157	194	246
	OZ.	5.54	6.84	8.68
Injection Pressure	MPa	247	200	158
	psi	35824	29008	22916
Holding Pressure	MPa	197	160	126
	psi	28572	23206	18275
Screw Speed	rpm	400	400	400
Plasticizing Rate (GPPS)	g/s	22	30	42
	oz./s	0.78	1.06	1.48
Nozzle Contact Force	kN	65	65	65
	US Tons	7	7	7
Injection Unit			430	
Injection Speed	mm/s		200	
	in./s		7.87	
Injection Rate (PS)	g/s	177	219	277
	oz./s	6.24	7.72	9.77
Injection Unit			430h	
Injection Speed	mm/s		300	
	in./s		11.81	
Injection Rate (PS)	g/s	266	329	416
	oz./s	9.38	11.61	14.67
Injection Unit			430hs	
Injection Speed	mm/s		500	
	in./s		19.69	
Injection Rate (PS)	g/s	444	548	694
	oz./s	15.66	19.33	24.48

Absolute Haitian Corporation • 33 Southgate St. Worcester, MA 01610 508-459-5372 • absolutehaitian.com



Specification

ZERES 5 Series: Electric with Integrated Hydraulics


Other		
Connection Power	kW/A	430:27/45
		430h:31/52
		430hs:48/81
Heating Power	kW	13.5
Machine Dimension	m	6.15x1.64x2.39
	in.	242x65x94
Machine Weight	t	9.85
	lbs.	21716
Hopper Capacity	I	25
	gal	7
Oil Pressure	MPa	17.5
	psi	2538
Oil Flow	l/min	79
	gal/min	21
Oil Tank	I	104
	gal	27

*NOTE:


- 1. Machine dimensions and weights are based on the international standard configuration and are for reference only. Any options or country specific requirements will affect this. Contact Absolute Haitian service department for machine specific information.
- 2. Power requirements are based on the international standard configuration and are for reference only. Any options or country specific requirements will affect this. Contact Absolute Haitian service department for machine specific information.

Absolute Haitian Corporation • 33 Southgate St. Worcester, MA 01610 508-459-5372 • absolutehaitian.com







Fixed Platen



	Title: ZE/VEV 2300 Fixed & Moving Platens Drawing					PLEASE READ:				
	Machine	Machine Model: ZE/VEV 2300			Sheet: 1 of 1		The designs on this drawing were validated using machine manufacturer's drawings and/or			
ABSOLUTE			lumber: le:		r awn By: Harry	Date: 1/9/2024	information supplied by Absolute or the customer. It is the responsibility of the custo review and confirm that all dimensions are consistent with the application intended			
					Chkd By:LEON XIE Date: 1/9/2024		accordance with the facility requirements for space, part clearance, overhead clearance, or any			
		Date:	Drawing #:	N	OT TO SCALE	Size: 11 X 17 "B"				
Absolute Haitian Corporation 33 Southgate St. Worcester, MA T:+1 508-792-4305 www.absolutehaitian.com	Rev #: 1			Units: mm / [in]		design and application.				
	Rev #: 2					Material:				
	Rev #: 3					Part: Part: Part: Part:	Customer:	Customer Approval:		
	Rev #: 4							Authorized Signature		
	Rev #: 5					Part: Part:				






*1 Power in

Current and Power Cable are shown in the Main Power Supply Circuit

- *2 To the mounting face of the fixed platen
- *3 To the face of Hopper fixing platform
- *4 To the top of the fixed platen
- *5 Vibration dumping support



Title: ZE V 2300-430 Layout Drawing						PLEASE READ:		
ABSOLUTE		Sheet: 1 of 1		The designs on this drawing were validated using machine manufacturer's drawings and/or				
		Drawn By: Harry	Drawn By: Harry Date: 3/22/2024		information supplied by Absolute or the customer. It is the responsibility of the customer to review and confirm that all dimensions are consistent with the application intended and in			
			Chkd By:LEON XIE	Date: 3/22/2024	accordance with the facility requirements for space, part clearance, overhead clearance, or a			
	Revision	Date: Dra	wing #: Layout	NOT TO SCALE	Size: 11 X 17 "B"	other interference. By signing this document, the customer accepts full responsibility for this		
					Units: mm / [in]	design and application.		
Absolute Haitian Corporation				Material:				
33 Southgate St. Worcester, MA				Part: Part:	Customer:	Customer Approval:		
T:+1 508-792-4305 www.absolutehaitian.com	Rev #: 4		F			t:	Authorized Signature	
	Rev #: 5			Part: Part:				

<u>1821</u> 1870 +8XM20 - 40 ਸ਼ਾਹ 840 560 405 Ø S. UH U • • \square 50 • • \bigcirc <u>____</u> N σ بط Title: ZE V 2300 Robot Mounting Drawing PLEASE READ: Machine Model: ZE V 2300 Machine Serial Number: Machine Tonnage: The designs on this drawing were validated using machine manufacturer's drawings Sheet: 1 of 1 information supplied by Absolute or the customer. It is the responsibility of the customer Drawn By: Harry Date: 4/9/2024 review and confirm that all dimensions are consistent with the application intended Chkd By:LEON XIE Date: 4/9/2024 accordance with the facility requirements for space, part clearance, overhead clearance Revision Date: NOT TO SCALE Size: 11 X 17 "B" Drawing #: Robot Mounting other interference. By signing this document, the customer accepts full responsibility design and application. Rev #: 1 Units: mm / [in] Rev #: 2 Material: Part: Part: Part: Part: Part: Part: Part: Part: Rev #: 3 Customer: Customer Approval:

794 724 262 331 <u>6</u>23 6 М <u>____</u> Um 610 H \bigcirc ΠΠΠ 1 ð ... Ó 53

811

812

HAITIAN ABSOLUTE

Rev #: 4

Rev #: 5

Absolute Haitian Corporation 33 Southgate St. Worcester, MA T:+1 508-792-4305 www.absolutehaitian.com

140

uthorized Signature

	Notes:
s and/or	
stomer to	
d and in	
e, or any	
y for this	